

Electric freestanding ranges



	LDEL7324SE	LREL6325F/D	LREL6323S/D	LREL6321S
Previous model	LDE5415ST	LRE3193	LRE3061	LRE3060
Availability	July 2024	Available	Available	Available
Brand	LG	LG	LG	LG
Type	Electric	Electric	Electric	Electric
Capacity (cu.ft.)	7.3 (3.0 upper + 4.3 lower)	6.3	6.3	6.3
Oven window	WideView™	InstaView® & WideView™	WideView™	WideView™
AirFry	●	●	●	
Air sous vide	●			
Convection	ProBake Convection™	True convection	Fan convection	
Infrared grill	● Upper oven only			
EasyClean®	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)
Self clean	●	●	●	
ThinQ®	WiFi	WiFi	WiFi	WiFi
Power element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element
No. of elements	4 radiant elements 1 warming zone	4 radiant elements 1 warming zone	4 radiant elements 1 warming zone	4 radiant elements 1 warming zone
Oven control type	SmoothTouch™ glass panel	SmoothTouch™ glass panel	Standard touchpad	Standard touchpad
Cooktop control type	Weighted front control knobs	Rear control knobs	Rear control knobs	Rear control knobs
Control panel lockout	●			
No. of elements	5 radiant elements	5 radiant elements	5 radiant elements	5 radiant elements
No. of oven racks	1 gliding rack 2 standard racks	3 standard racks	2 standard racks	2 standard racks
Drawer type	N/A	Storage	Storage	Storage
Dimensions (W x H x D) *Depth does not include handles	29 15/16 x 47 5/16 x 26 1/2"	29 7/8 x 46 1/2 x 26 1/2"	29 7/8 x 46 1/2 x 26 1/2"	29 7/8 x 46 1/2 x 26 1/2"
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Stainless steel Black stainless steel	Stainless steel









Electric slide-in ranges



	LSES6338F	LSEL6337F	LSEL6335F/D	LSEL6333F/D	LSEL6331F	LSEL6330S
Previous model	LSSE3026	LSE5615	LSE5613	LSE4611		
Brand						
Availability	Available	Available	Available	Available	Available	May 2024
Type	Electric	Electric	Electric	Electric	Electric	Electric
Capacity (cu.ft.)	6.3	6.3	6.3	6.3	6.3	6.3
Oven window	InstaView® & WideView™	InstaView® & WideView™	InstaView® & WideView™	WideView™	WideView™	WideView™
AirFry	●	●	●	●		
Air sous vide	●	●				
Convection	ProBake Convection™	ProBake Convection™	ProBake Convection™	Fan convection		
EasyClean®	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)	EasyClean® (10 mins)
Self clean	●	●	●	●	●	
ThinQ®	WiFi	WiFi	WiFi	WiFi	WiFi	
Power element	3,600 W UltraHeat™ 12" element	3,600 W UltraHeat™ 12" element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element	3,200 W UltraHeat™ 9" element
No. of elements	4 radiant elements 1 warming zone	4 radiant elements 1 warming zone	4 radiant elements 1 warming zone	4 radiant elements 1 warming zone	4 radiant elements 1 warming zone	4 radiant elements
Oven control type	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel	Front control knob
Cooktop control type	Backlit front control knobs	Backlit front control knobs	Front control knobs	Front control knobs	Front control knobs	Front control knobs
Control panel lockout	●	●	●	●	●	
Temperature probe	●	●				
No. of oven racks	2 heavy duty racks 1 gliding rack 1 AirFry rack	2 heavy duty racks 1 AirFry rack	2 heavy duty racks 1 AirFry rack	2 standard racks 1 AirFry rack	2 standard racks	2 standard racks
Drawer type	Storage	Storage	Storage	Storage	Storage	Storage
Dimensions (W x H x D) <small>*Depth does not include handles</small>	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 37 1/4 x 26 7/8"	29 7/8 x 37 1/4 x 26 7/8"	29 7/8 x 37 1/4 x 26 27/32"
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel	Stainless Steel










Gas ranges



	LSGS6338F	LSGL6335F/D	LRGL5825F	LRGL5823S
Previous model	LSSG3016	LSG5513	LRG5115	LRG3193
Brand				
Type	Gas	Gas	Gas	Gas
Capacity (cu.ft.)	6.3	6.3	5.8	5.8
Oven window	InstaView® & WideView™	InstaView® & WideView™	InstaView® & WideView™	WideView™
AirFry	●	●	●	●
Air sous vide	●			
Convection	ProBake Convection™	ProBake Convection™	True convection	Fan convection
EasyClean®	 EasyClean® (10 mins)	 EasyClean® (10 mins)	 EasyClean® (10 mins)	 EasyClean® (10 mins)
Self clean	●	●	●	●
ThinQ®	WiFi	WiFi	WiFi	WiFi
Power burner	22,000 BTU UltraHeat™ burner	20,000 BTU UltraHeat™ burner	20,000 BTU UltraHeat™ burner	20,000 BTU UltraHeat™ burner
No. of burners	5 sealed burners	5 sealed burners	5 sealed burners	5 sealed burners
Oven control type	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel	Standard touchpad
Cooktop control type	Backlit front control knobs	Front control knobs	Front control knobs	Front control knobs
Griddle	●	●	●	●
Wok grate	●			
Temperature probe	●			
No. of oven racks	1 heavy duty racks 1 gliding rack 1 offset rack 1 AirFry rack	2 heavy duty racks 1 AirFry rack	3 standard racks 1 AirFry rack	2 standard racks
Drawer type	Storage	Storage	Storage	Storage
Propane conversion kit	●	●	●	●
Dimensions (W x H x D) <small>*Depth does not include handles</small>	29 7/8 x 37 1/8 x 26 7/8"	29 7/8 x 37 1/8 x 26 7/8"	29 7/8 x 46 1/2 x 26 9/16"	29 7/8 x 46 1/2 x 26 9/16"
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel	Stainless steel

Induction ranges



	LSIS6338F	LSIL6336F	LSIL6334F	LSIL6332FE
Previous model	LSIS3018	LSE4616		
Brand				
Type	Induction slide-in	Induction slide-in	Induction slide-in	Induction slide-in
Availability	Available	Available	Available	May 2024
ENERGY STAR®				
Capacity (cu.ft.)	6.3	6.3	6.3	6.3
Oven window	InstaView® & WideView™	InstaView® & WideView™	WideView™	WideView™
AirFry	●	●	●	●
Air sous vide	●	●		
Convection	ProBake Convection™	ProBake Convection™	ProBake Convection™	True convection
EasyClean®	 EasyClean® (10 mins)	 EasyClean® (10 mins)	 EasyClean® (10 mins)	 EasyClean® (10 mins)
Self clean	●	●	●	●
ThinQ®	WiFi	WiFi	WiFi	WiFi
Power element	4,300 W UltraHeat™ 11" element	4,300 W UltraHeat™ 11" element	3,900 W UltraHeat™ 11" element	3,900 W UltraHeat™ 11" element
No. of elements	4 induction elements 1 radiant warming zone	4 induction elements 1 radiant warming zone	4 induction elements	4 induction elements
Oven control type	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel	SmoothTouch™ glass panel
Cooktop control type	Backlit front control knobs	Front control knobs	Front control knobs	SmoothTouch™ glass panel
Cooktop control lockout	●	●	●	●
Temperature probe	●	●		
No. of oven racks	2 heavy duty racks 1 gliding rack 1 AirFry rack	2 heavy duty racks 1 AirFry rack	2 standard racks 1 AirFry rack	2 standard racks 1 AirFry rack
Drawer type	Storage	Storage	Storage	Storage
Dimensions (W x H x D) *Depth does not include handles	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 36 1/2 x 26 7/8"	29 7/8 x 36 1/2 x 29 5/16"
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel







Over-the-range microwaves




	MVEL2137F/D	MVEF1337F	MVEL2125F	MVEF1323F	MVEL2033F	MVEM1825F/D
Previous model	LMV2257		LMV2055		LMV2053	LMV1852
Availability	Available	May 2024	Available	May 2024	Available	Available
Brand	LG	LG	LG	LG	LG	LG
Microwave configuration	Traditional	Slim	Traditional	Slim	Traditional	Traditional
Cavity (cu.ft.)	2.1	1.3	2.1	1.3	2.0	1.8
Output power	900 W	1000 W	900 W	1000 W	900 W	900 W
EasyClean® interior	EasyClean®	EasyClean®	EasyClean®	EasyClean®	EasyClean®	EasyClean®
Slide-out (ExtendaVent™)	●		●			
Power levels	10	10	10	10	10	10
Cooking features	Sensor cook, sensor reheat, auto defrost	Sensor cook, sensor reheat, auto defrost	Sensor cook, sensor reheat, auto defrost	Auto cook, auto reheat, auto defrost	Sensor cook, sensor reheat, auto defrost	Sensor cook, sensor reheat, auto defrost
Turntable diameter	14.2"	12.8"	14.2"	12.8"	14.2"	12.6"
Control type	Backlit SmoothTouch™ glass	SmoothTouch™ glass	SmoothTouch™ glass	SmoothTouch™ gla	SmoothTouch™ glass	SmoothTouch™ glass
Display	White LED scrolling, 2 lines	White LED scrolling, 2 lines	White LED scrolling, 2 lines	White LED scrolling, 2 lines	White LED scrolling, 2 lines	White LED
Cook top light	LED (single)	LED (dual)	LED (single)	LED (single)	Halogen (single)	Halogen (single)
Fan speeds	4	4	4	4	4	2
Vent air flow (CFM)	400	550	400	400	400	300
Charcoal filter	#5230W1A003A (included)	Included (part #TBD)	#5230W1A003A (included)	Included (part #TBD)	#5230W1A003A (included)	#5230W1A011E (included)
ThinQ®	WiFi	WiFi	WiFi	WiFi	WiFi	WiFi
LG range sync compatible	●	●	●	●	●	●
Child lock	●	●	●	●	●	●
Exterior dimensions (W x H x D)	29 7/8 x 17 15/16 x 15 7/8"	29 7/8 x 11 15/16 x 19 1/8"	29 7/8 x 17 15/16 x 15 7/8"	29 7/8 x 11 15/16 x 19 1/8"	29 7/8 x 16 7/16 x 15 7/8"	29 14/16 x 16 7/16 x 15 14/16"
Colours	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel

Countertop microwaves



	MSER2090S/D	MSER1590S/B	MSER0990S
Previous model	LMC2075	LMC1575	LMC0975
Availability	May 2024	May 2024	May 2024
Brand	 LG	 LG	 LG
Cavity (cu.ft.)	2.0	1.5	0.9
Output power	1,200 W	1,250 W	1,040 W
EasyClean® interior	 EasyClean®	 EasyClean®	 EasyClean®
Power levels	10	10	10
Cooking features	Sensor cook, sensor reheat, auto defrost	Sensor cook, sensor reheat, auto defrost	Sensor cook, sensor reheat, auto defrost
Turntable diameter	16"	14.2"	12"
Control panel	SmoothTouch™ glass LED	SmoothTouch™ glass LED	SmoothTouch™ glass LED
SmartDiagnosis™	●	●	●
Child lock	● (two-step)	● (two-step)	● (two-step)
Exterior dimensions (W x H x D)	23 ⁷ / ₈ x 13 ⁹ / ₁₆ x 19 ³ / ₈ "	21 ² / ₅ x 12 ¹ / ₅ x 17"	18 x 11 x 14 ¹ / ₂ "
Matching trim kit	MK2030NST/BD	N/A	N/A
Colours	Stainless steel Black stainless steel	Stainless steel Black	Stainless steel

Built-in cooktops



	CBIH3017BE	CBIH3013BE	LCE3010SB	CBGJ3027S	CBGJ3023S
Previous model				LCG3011ST	
Brand	LG	LG	LG	LG	LG
Availability	June 2024	March 2024	Available	Available	Available
Type	Induction	Induction	Electric	Gas	Gas
ENERGY STAR®					
Size	30"	30"	30"	30"	30"
No. of burners/elements	4 induction elements	4 induction elements	5 radiant elements	5 sealed gas burners	5 sealed gas burners
Left front	3,700 W 7" element (flexzone)	3,200 W 7" element	1,200 W 6" element	10,000 BTU	10,000 BTU
Right front	1,800 W 6" element	1,800 W 6" element	3,000 W 9" element	12,000 BTU	12,000 BTU
Left rear	3,700 W 7" element (flexzone)	3,200 W 7" element	1,900 W 8" element	10,000 BTU	10,000 BTU
Right rear	5,000 W 11" element	4,300 W 11" element	100 W 6" element	5,000 BTU	5,000 BTU
Centre			1,500 W 7" element	22,000 BTU	20,000 BTU
Cooktop control type	SmoothTouch® glass (white)	SmoothTouch™ glass panel (red)	SmoothTouch™ glass panel	Backlit weighted knobs	Weighted knobs
Cooktop compatibility indicator	●	●			
Griddle				● Cast iron	
Hot surface indicator	●	●	●		
Child lock	●	●	●		
Auto shut off	●	●	●		
EasyClean® coating					
ThinQ®	WiFi	WiFi		WiFi	
Dimensions (W x H x D)	30 11/16 x 3 11/16 x 21 1/16"	30 11/16 x 3 11/16 x 21 1/16"	30 27/32 x 4 x 21 15/32"	30 x 3 3/4 x 21 11/16"	30 x 3 3/4 x 21 11/16"
Colours	Black ceramic glass	Black ceramic glass	Black ceramic glass	Smudge resistant stainless steel	Smudge resistant stainless steel