## 36" french door 4 door standard depth refrigerators





	LRMVS3006S	LF29S8330S	LF30S82
Previous model	LFXS30796	LRMXS2806	LMWS27
Brand	LG	🕐 LG	
Availability	Available	Available	Available
Total capacity (cu.ft.)	29.5	29	30
Standard-Depth MAX™		STANDARD-DEPTH MAX	STANDARD-
ENERGY STAR®	- Comptile Benty STAN	durr That HERENY STAM	Grant T
Compressor	Inerter linear	Smart inverter	Smart inv
InstaView <sup>®</sup>	LG InstaView®		
Door-in-Door <sup>®</sup>	LG Door-in-Door® with EasyLift bin		
Cool Guard™	•	•	•
Door Cooling+	•	•	•
Water dispenser	External with measured fill	External	Internal
External ice system	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	
Freezer ice system	Craft Ice"	Cubed ice	Cubed ice
Water filter	LT1000P	LT1000P	LT1000P
Middle drawer	Full-Convert™ drawer	Full-Convert™ drawer	Full-Conv
Door shape and handle design	Contoured doors with bar handles	Flat doors with pocket handles	Flat doors
Soft close refrigerator doors		•	•
SmartPull™ freezer handle	•	•	•
Sabbath mode	•	•	•
Smart Diagnosis™	•	•	•
ThinQ®	WiFi	WiFi	WiFi
Fresh air filter	LT120F	LT120F	LT120F
LED refrigerator lighting	•	•	•
LED freezer lighting	•	•	•
Dimensions (W x H x D) *Depth does not include handles	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 35 <sup>2</sup> / <sub>3</sub> "	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>3</sup> / <sub>8</sub> x 34 <sup>3</sup> / <sub>8</sub> "	35 ³/₄ x 7



8210S
27626
_G
ble
RD-DEPTH MAX <sup>-</sup>
inverter
al
ice
)P
onvert™ drawer
ors with pocket handles
< 70 <sup>3</sup> / <sub>8</sub> x 34 <sup>3</sup> / <sub>8</sub> "

## 36" french door 4 door counter depth refrigerators





	LRMVC2306S	LRMXC2206S	LMWC2
Previous model	LMXC23796		
Brand	LG	LG	ŒL
Availability	Available	Available	Availab
Total capacity (cu.ft.)	22.5	22	22.7
ENERGY STAR®	Larger The Deservision	Aurification Control C	Energy star
Compressor type	Inverter linear	Inverter linear	Inverter
InstaView®	LG InstaView®		
Door-in-Door®	LG Door-in-Door <sup>®</sup> with EasyLift bin		
Cool Guard™	•		
Door Cooling+	•	•	•
Water dispenser	External with measured fill	External	Internal
External ice system	Slim SpacePlus® with cubed + crushed ice	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	
Freezer ice system	Craft Ice"	Craft Ice	Cubed i
Water filter	LT1000P	LT1000P	LT1000
Middle drawer	Full-Convert™ drawer	Freezer only	Freezer
Door shape and handle design	Contoured doors with bar handles	Contoured doors with bar handles	Contou
SmartPull™ freezer handle	•		
Sabbath mode	•	•	•
Smart Diagnosis™	•	•	•
ThinQ®	WiFi	WiFi	
Fresh air filter	LT120F	LT120F	
LED refrigerator lighting	•	•	•
LED freezer lighting	•	•	•
Dimensions (W x H x D) *Depth does not include handles	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 28 <sup>7</sup> / <sub>8</sub> "	35 <sup>3</sup> / <sub>4</sub> x 69 <sup>3</sup> / <sub>4</sub> x 28 <sup>3</sup> / <sub>4</sub> "	35 ³/₄ x
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge



/C23626S

LG
able
ter linear
nal
ed ice
00P
zer only
oured doors with bar handles
4 x 69 <sup>3</sup> / <sub>4</sub> x 28 <sup>3</sup> / <sub>4</sub> "
dge resistant stainless steel

36" french door 3 door standard depth refrigerators					4.
	LRYKS3106S	LRYXS3106S	LRFXS3106S	LRFS28XBS & LRFS28XBD	LRFLS3206S
Previous model	LRFVS3006	LRFDS3016		LFXS28968 & LFXS26973	
Brand	🕒 LG				
Availability	Available	Available	March 2024	Available	March 2024
Total capacity (cu.ft.)	31	31	31	28	32
Standard-Depth MAX™	STANDARD-DEPTH MAX	STANDARD-DEPTH MAX	STANDARD-DEPTH MAX		STANDARD-DEPTH MAX
ENERGY STAR®	Bart THE THERE'S SUR	Barrit L THEREY SHA	BANTTE PHENY STA	Burffic Denty Sha	antitic mener sun
Compressor type	Smart inverter				
InstaView®	LG InstaView <sup>®</sup> mirror				
Door-in-Door®	LG Door-in-Door®				
Cool Guard™	•	•	•		•
Door Cooling+	•	•	•	•	•
Water dispenser	External with UVnano™	External with UVnano™	External	External	Internal
External ice system	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	Slim SpacePlus® with cubed + crushed ice	Slim SpacePlus® with cubed + crushed ice	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	
Freezer ice system	Craft Ice" + mini cubed ice	Craft Ice" + mini cubed ice	Cubed ice		Cubed ice
Water filter	LT1000P	LT1000P	LT1000P	LT1000P	LT1000P
Glide N' Serve pantry drawer	•	•	•	•	•
Door shape and handle design	Flat doors and lit pocket handles	Flat doors and lit pocket handles	Flat doors with bar handles	Contoured doors with bar handles	Flat doors with bar handles
SmartPull™ freezer handle	•	•	•	•	•
Sabbath mode	•	•	•	•	•
Smart Diagnosis™	•	•	•	•	•
ThinQ®	WiFi	WiFi	WiFi	WiFi	WiFi
Fresh air filter	LT120F	LT120F	LT120F		LT120F
LED refrigerator lighting	•	•	•	•	•
LED freezer lighting	•	•	•	•	•
Dimensions (W x H x D) *Depth does not include handles	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 34 <sup>1</sup> / <sub>4</sub> "	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 34 <sup>1</sup> / <sub>4</sub> "	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 34 <sup>3</sup> / <sub>8</sub> "	35 <sup>3</sup> / <sub>4</sub> x 69 <sup>3</sup> / <sub>4</sub> x 33 <sup>3</sup> / <sub>4</sub> "	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 34 <sup>3</sup> / <sub>8</sub> "
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel





LRFWS2906S	LRFCS29D6S
ERI W329003	LKI C323D03
🔁 LG	🕒 LG
Available	March 2024
29	29
durrff C. Hestern state	Samp Sale
Smart inverter	Smart inverter
•	•
External	
Cubed ice	Cubed ice
LT1000P	LT1000P
•	•
Contoured doors with bar handles	Contoured doors with bar handles
•	•
•	•
•	•
•	•
•	•
35 <sup>3</sup> / <sub>4</sub> x 69 <sup>3</sup> / <sub>4</sub> x 33 <sup>3</sup> / <sub>4</sub> "	35 <sup>3</sup> / <sub>4</sub> x 69 <sup>3</sup> / <sub>4</sub> x 33 <sup>3</sup> / <sub>4</sub> "
Smudge resistant stainless steel	Smudge resistant stainless steel

36" french door 3 door counter depth refrigerators						
	SRFVC2416S	LRYKC2606S	LRYXC2606S & LRYXC2606D	LRFXC2606S	LRFLC2706S	LRFCC23D6S
Previous model	SRFVC2406	LRFVC2406	LFXC22596	LFXC22526		LFCC22426
Brand	LG STUDIO	🕒 LG	C LG	🕒 LG	LG	LG
Availability	Available	Available	Available	Available	Available	August 2023
Total capacity (cu.ft.)	23.5	26	26	26	27	23
ENERGY STAR®	DARTY SIM	Contric Intervision	Berry Hark INSERIE STAR	Barry Tr. L.	Berry Tr. X INSPIRE STAR	Courter State
Compressor type	Inverter linear	Smart inverter				
Counter-Depth MAX™		COUNTER-DEPTH MAX*	COUNTER-DEPTH MAX <sup>**</sup>	COUNTER-DEPTH MAX "	COUNTER-DEPTH MAX <sup>®</sup>	
InstaView®	LG InstaView®	LG InstaView <sup>®</sup> mirror				
Door-in-Door <sup>®</sup>	LG Door-in-Door*	LG Door-in-Door*				
Cool Guard™	•	•	•	•	•	
Door Cooling+	•	•	•	•	•	•
Water dispenser	External with measured fill	External with UVnano™	External with UVnano™	External	Internal	
External ice system	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	Slim SpacePlus <sup>®</sup> with cubed + crushed ice		
Freezer ice system	Craft Ice"	Craft Ice" + mini cubed ice	Craft Ice" + mini cubed ice	Cubed ice	Cubed ice	Cubed ice
Water filter	LT1000P	LT1000P	LT1000P	LT1000P	LT1000P	LT1000P
Glide N' Serve pantry drawer	•	•	•	•	•	•
Door shape and handle design	Flat doors and LG Studio pro style handles	Flat doors and lit pocket handles	Flat doors and lit pocket handles	Flat doors with bar handles	Flat doors with bar handles	Flat doors with bar handles
SmartPull™ freezer handle	•	•	•	•	•	•
Sabbath mode	•	•	•	•	•	•
Smart Diagnosis™	•	•	•	•	•	•
ThinQ®	WiFi	WiFi	WiFi	WiFi	WiFi	
Fresh air filter	LT120F	LT120F	LT120F	LT120F	LT120F	
LED refrigerator lighting	•	•	•	•	•	•
LED freezer lighting	•	•	•	•	•	•
Dimensions (W x H x D) *Depth does not include handles	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 28 <sup>3</sup> / <sub>8</sub> "	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 29 <sup>1</sup> / <sub>8</sub> "	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 29 <sup>1</sup> / <sub>8</sub> "	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 29 <sup>1</sup> / <sub>4</sub> "	35 <sup>3</sup> / <sub>4</sub> x 70 <sup>1</sup> / <sub>4</sub> x 29 <sup>1</sup> / <sub>4</sub> "	35 <sup>3</sup> / <sub>4</sub> x 69 <sup>3</sup> / <sub>4</sub> x 28 <sup>3</sup> / <sub>4</sub> "
Colours	Smudge resistant stainless steel with charcoal grey interior	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel

## 33" french door standard depth refrigerators







	LRFVS2503S	LRFXS2503S/D	LRFCS2503S & LRFCS2503D
Previous model		LFXS24623	LFC24786
Brand	LG	🕒 LG	LG
Availability	Available	Available	Available
Total capacity (cu.ft.)	24.4	24.5	25.1
ENERGY STAR®	-Grant The BRANCY STOR	LUNTIX BRANTSTAN	Sourfig BREREY STAR
Compressor type	Inverter linear	Inverter linear	Inverter linear
# of doors	3	3	3
InstaView®	LG InstaView®		
Door-in-Door®	LG Door-in-Door*		
Cool Guard™	•		
Door Cooling+	•	•	•
Water dispenser	External	External	
External ice system	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	
Freezer ice system	Craft Ice"		Cubed ice
Water filter	LT1000P	LT1000P	LT1000P
Glide N' Serve pantry drawer	•	•	•
Door shape and handle design	Contoured doors with bar handles	Contoured doors with bar handles	Contoured doors with bar handles
SmartPull™ handle	•	•	
Sabbath mode	•	•	•
Smart Diagnosis™	•	•	•
ThinQ®	WiFi	WiFi	
Fresh air filter	LT120F	LT120F	
LED refrigerator lighting	•	•	•
LED freezer lighting	•	•	•
Dimensions (W x H x D) *Depth does not include handles	32 <sup>3</sup> / <sub>4</sub> x 69 <sup>7</sup> / <sub>8</sub> x 33 <sup>1</sup> / <sub>4</sub> "	32 <sup>3</sup> / <sub>4</sub> x 69 <sup>7</sup> / <sub>8</sub> x 33"	32 <sup>3</sup> / <sub>4</sub> x 69 <sup>7</sup> / <sub>8</sub> x 33"
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel



LRFNS2503V
------------



Available

25.1

Energy STAR

Smart inverter

3

•

•

•

•

•

Contoured doors with bar handles

32 <sup>3</sup>/<sub>4</sub> x 69 <sup>7</sup>/<sub>8</sub> x 33"

Platinum silver

33" french door counter depth refrigerators				
---	--	--	--	--

33" french door counter depth refrigerators					
	LRMVC1803S	LRMXC1803S	LF20C6330S	LRMNC1803S	LF21C6200S
Previous model					
Brand	C LG	C LG	🕒 LG	C LG	🕒 LG
Availability	Available	Available	March 2024	Available	Available
Total capacity (cu.ft.)	18.4	18.3	20.2	19	20.8
ENERGY STAR®	er er frikk Destering State	arrited NEWSYSM	Comp of the Comp o	aury File NERVY SIM	erry frag BRAN STAR
Compressor type	Inverter linear	Inverter linear	Smart inverter	Inverter linear	Smart inverter
Counter-Depth MAX™			COUNTER-DEPTH MAX		COUNTER-DEPTH MAX"
InstaView®	LG InstaView®				
Door-in-Door <sup>®</sup>	LG Door-in-Door <sup>®</sup>				
Cool Guard™	•				
Door Cooling+	•	•		•	
Water dispenser	External	External	External		
External ice system	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	Slim SpacePlus <sup>®</sup> with cubed + crushed ice	Slim SpacePlus <sup>®</sup> with cubed + crushed ice		
Freezer ice system			Cubed Ice		Cubed ice
Water filter	LT1000P	LT1000P	LT1000P		LT1000P
Glide N' Serve pantry drawer			•		•
Door shape and handle design	Contoured doors with pocket handles	Contoured doors with pocket handles	Flat panel doors with pocket handles	Contoured doors with pocket handles	Flat panel doors with pocket handles
Sabbath mode	•	•	•	•	•
Smart Diagnosis™	•	•	•	•	•
ThinQ®	WiFi	WiFi	WiFi		WiFi
Fresh air filter	LT120F	LT120F	LT120F		
LED refrigerator lighting	•	•	•	•	•
LED freezer lighting	•	•	•	•	•
Dimensions (W x H x D) *Depth does not include handles	32 <sup>7</sup> / <sub>8</sub> x 70 <sup>3</sup> / <sub>8</sub> x 28 <sup>3</sup> / <sub>4</sub> "	32 <sup>7</sup> / <sub>8</sub> x 70 <sup>3</sup> / <sub>8</sub> x 28 <sup>3</sup> / <sub>4</sub> "	32 <sup>15</sup> / <sub>16</sub> x 69 <sup>15</sup> / <sub>16</sub> x 28 <sup>3</sup> / <sub>4</sub> "	32 <sup>7</sup> / <sub>8</sub> x 70 <sup>3</sup> / <sub>8</sub> x 28 <sup>3</sup> / <sub>4</sub> "	32 <sup>3</sup> / <sub>4</sub> x 69 <sup>15</sup> / <sub>16</sub> 28 <sup>3</sup> / <sub>4</sub> "
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel	Smudge resistant stainless steel

## 30" french door refrigerators



	LRFWS2200S	LRFNS2200S & LRFNS2200D & LRFNS2200W
Previous model	LFD22786	LFNS22520
Brand	C LG	🔁 LG
Availability	Available	Available
Total capacity (cu.ft.)	21.8	22
ENERGY STAR®	devery fight Design stan	Joseph Jack
Depth	Standard depth	Standard depth
Compressor type	Inverter linear	Inverter linear
Multi-air flow cooling	•	•
Water dispenser	External	
External ice system		
Freezer ice system	Cubed ice	Ready (LK55C sold separately)
Water filter	LT1000P	
Glide N' Serve pantry drawer	$\bullet$	•
Door shape and handle design	Contoured doors with bar handles	Contoured doors with bar handles
SmartPull™ handle	$\bullet$	
Sabbath mode		
Smart Diagnosis™		•
ThinQ®		
Fresh air filter		
LED refrigerator lighting		•
LED freezer lighting	•	•
Dimensions (W x H x D) *Depth does not include handles	29 <sup>3</sup> / <sub>4</sub> x 68 <sup>1</sup> / <sub>2</sub> x 33"	29 <sup>3</sup> / <sub>4</sub> x 68 <sup>1</sup> / <sub>2</sub> x 33"
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel Smudge resistant black stainless steel White



#### W

2 door bottom freezer refrigerators					
	LRDCS2603S	LRDNS2200S & LRDNS2200W	LBNC15251V	LBNC12231V & LBNC12231W	LSBNC1021P
Previous model	LDCS24223	LDNS22220	LBNC15221	LBNC12551	
Brand	C LG	LG LG	C LG	LG	<b>E</b> STUDIO
Availability	Available	Available	Available	Available	Available
Installation style	Freestanding	Freestanding	Freestanding	Freestanding	Built-in
Width	33"	30"	28"	24"	22"
Total capacity (cu.ft.)	25.5	22	14.7	11.9	9.3
ENERGY STAR®	Decision Tage	Grant Trac Emerge State	BULLET TO THE STORE	Courting Therefore State	Surffice Institute State
Depth	Standard depth	Standard depth	Counter depth	Counter depth	Counter depth
Compressor type	Inverter linear	Smart inverter	Smart inverter	Smart inverter	Inverter linear
Door Cooling+	•	•	•	•	
Multi-air flow cooling	•	•	•	•	•
No. of shelves	2	2	3 (2 fixed + 1 folding)	2	4
Ice maker	Cubed ice	Ready (LK55C sold separately)	Twist ice tray		
Water filter	LT1000P				
Door shape and handle design	Contoured doors with bar handles	Contoured doors with bar handles	Contoured doors with pocket handles	Contoured doors with pocket handles	Unfinished panel ready
Freezer door type	Pull out drawer	Pull out drawer	Swing	Swing	Swing
Sabbath mode	•			•	
Smart Diagnosis™	•	•	•	•	•
ThinQ®					
Reversible door	•	•	•	•	•
LED refrigerator lighting	•	•	•	•	•
LED freezer lighting	•	•			
Dimensions (W x H x D) *Depth does not include handles	32 <sup>3</sup> / <sub>4</sub> x 69 <sup>7</sup> / <sub>8</sub> x 33"	29 <sup>3</sup> / <sub>4</sub> x 68 <sup>1</sup> / <sub>2</sub> x 33"	27 <sup>3</sup> / <sub>8</sub> x 67 <sup>6</sup> / <sub>8</sub> x 27 <sup>3</sup> / <sub>8</sub> "	23 <sup>1</sup> / <sub>2</sub> x 73 <sup>1</sup> / <sub>4</sub> x 26 <sup>5</sup> / <sub>8</sub> "	21 <sup>4</sup> / <sub>5</sub> x 70 x 22 <sup>1</sup> / <sub>2</sub> "
Colours	Smudge resistant stainless steel	Smudge resistant stainless steel White	Platinum silver	Platinum silver White	Panel ready

2 door top freezer refrigerators				
	LTCS20020S & LTCS20020W	LT18S2100S	LT13C2000V	LT11C2000V
Previous model				LTNC11131
Brand	C LG		LG	🕒 LG
Availability	Available	April 2024	Available	Available
Width	30"	28"	28"	24"
Total capacity (cu.ft.)	20.2	17.5	13	11.1
ENERGY STAR®	Courting Energies sum	Desting SIM	Grant The Exercise star	- इ.ज्यानींदे एकसरा इडक
Depth	Standard depth	Standard depth	Counter depth	Counter depth
Compressor type	Smart inverter	Smart inverter	Smart inverter	Smart inverter
Multi-air flow cooling	•	•	•	•
No. of shelves	2 full	2 full	3 (2 fixed + 1 sliding)	3 (2 fixed + 1 sliding)
Ice maker	Ready (LK65C sold separately)	Ready (LK50C sold separately)		
Handle type	Pocket handle	Pocket handle	Pocket handle	Pocket handle
Smart Diagnosis™			•	•
Reversible door	•	•		
LED refrigerator lighting	•	•	•	•
LED freezer lighting				
Dimensions (W x H x D) *Depth does not include handles	29 <sup>3</sup> / <sub>4</sub> x 66 <sup>1</sup> / <sub>8</sub> x 33 <sup>3</sup> / <sub>8</sub> "	27 <sup>1</sup> / <sub>2</sub> x 65 x 33 <sup>3</sup> / <sub>4</sub> "	27 <sup>3</sup> / <sub>5</sub> x 67 <sup>7</sup> / <sub>10</sub> x 26 <sup>4</sup> / <sub>5</sub>	23 ⁵/ଃ x 64 ⁵/ଃ x 28″
Colours	Stainless steel White	Stainless steel	Platinum silver	Platinum silver

LRTNC0915V
C LG
Available
22"
9
June 1977 Energy State
Counter depth
Smart inverter
•
3 (2 fixed + 1 sliding)
Pocket handle
•
•

21 <sup>4</sup>/<sub>5</sub> x 65 <sup>1</sup>/<sub>2</sub> x 24 <sup>2</sup>/<sub>5</sub>"

Platinum silver

## Side-by-side refrigerators





	ayad was		
	SRSXB2622S	LS29S3230V	LS23C42
Previous model	LSSB2692	LRSXS2706	
Brand	LG STUDIO	C LG	
Availability	Available	May 2024	February
Installation type	Built-in	Freestanding	Freestan
Width	42"	36"	36"
Total capacity (cu.ft.)	25.6	29	23
ENERGY STAR®	JUNT THE		
Depth	Counter depth	Standard depth	Counter
Compressor type	Inverter linear compressor	Smart inverter compressor	Smart ir
Cool Guard™			
Multi-air flow cooling	•	•	•
Water dispenser	External	External	External
External ice system	SpacePlus <sup>®</sup> with cubed + crushed ice	SpacePlus <sup>®</sup> with cubed + crushed ice	SpacePlu
Freezer ice system			
Water filter	LP700P	LT1000P	LT1000F
No. of shelves	4 fridge, 4 freezer	3 fridge, 4 freezer	3 fridge,
No. of door bins	4 fridge (sliding), 2 freezer	4 fridge, 2 freezer	4 fridge,
No. of drawers	3 fridge (Slam-Proof™), 3 freezer (Slam-Proof™)	3 fridge, 1 freezer	3 fridge,
Soft closing doors	•		
Sabbath mode			
Smart Diagnosis™	•	•	•
ThinQ®	WiFi		
Fresh air filter			
LED refrigerator lighting	•	•	•
LED freezer lighting	•	•	•
Dimensions (W x H x D) *Depth does not include handles	42 x 83 <sup>1</sup> / <sub>2</sub> x 25 <sup>3</sup> / <sub>8</sub> "	36 x 70 <sup>1</sup> / <sub>2</sub> x 33 <sup>1</sup> / <sub>2</sub> "	36 x 70
Colours	Smudge resistant stainless steel	Platinum silver	Platinum



### C4230V

# LG ary 2024 tanding ter depth t inverter compressor nal Plus<sup>®</sup> with cubed + crushed ice 0P ge, 4 freezer ge, 2 freezer ge, 1 freezer 70 <sup>1</sup>/<sub>2</sub> x 28 <sup>7</sup>/<sub>8</sub>" um silver

